Rev. 9/00



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE Cants: Sharron G. Penn et al.

No.: 09/774,203

No.: 7320

: January 29, 2001

Applicants

Serial No.

Conf. No.

Filed:

January 29, 2001

For:

METHODS AND APPARATUS FOR PREDICTING, CONFIRMING, AND DISPLAYING FUNCTIONAL

INFORMATION DERIVED FROM GENOMIC

SEQUENCE

Group Art Unit:

1645

Hon. Commissioner for Patents Washington, D.C. 20231

> TRANSMITTAL LETTER FOR INFORMATION DISCLOSURE STATEMENT


Sir:


Transmitted herewith is an Information Disclosure Statement in the above-identified application. Statement is submitted:

- within three months of the application filing [] date;
- more than three months from the application [X] filing date but before the mailing date of the first Office Action on the merits.

In accordance with 37 C.F.R. § 1.97, submission of this Statement requires no fee. However, if for any reason a fee is due, the Commissioner is hereby authorized to charge payment of any fees required in connection with this Information Disclosure Statement to Deposit Account

No. 06-1075. A duplicate copy of this letter is transmitted





FISH & NEAVE Customer No. 1473 1251 Avenue of the Americas New York, N. Y. 10020 (650) 617-4000

Linereby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to: ASSISTANT
COMMISSIONER FOR PATENTS
WASHINGTON BG. 2020.

Signature of Person Signing



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE cants: Sharron G. Penn et al.

09/774,203

Applicants

Serial No.

Conf. No.

Filed:

METHODS AND APPARATUS FOR PREDICTING, For:

CONFIRMING, AND DISPLAYING FUNCTIONAL

INFORMATION DERIVED FROM GENOMIC

SEQUENCE

Group Art Unit: 1645

Hon. Commissioner for Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §§ 1.56, 1.97 and 1.98, applicants hereby make the following documents of record in the above identified application:

U.S. Patents

5,861,250	01/1999	Stanley et al.
5,854,033	10/1998	Lizardi
5,714,320	02/1998	Kool
5,235,033	08/1993	Summerton et al.
5,217,866	02/1993	Summerton et al.
5,184,444	02/1993	Warden
5,166,315	11/1992	Summerton et al.
5,142,047	08/1992	Summerton et al.

Applicants reserve the right to challenge the status of any of the cited documents as prior art.

Foreign Patent Documents

WC	00/15779	03/2000	WIPO
WC	98/12559	03/1998	WIPO
WC	98/58720	12/1998	WIPO
WC	97/19193	05/1997	WIPO
WC	93/25706	12/1993	WIPO
WC	92/20703	11/1992	WIPO
WC	92/20702	11/1992	WIPO

Other Documents

Adams et al., "Complementary DNA Sequencing: Expressed Sequence Tags and Human Genome Project," Science 252:1651-1656 (1991)

Ansari-Lari et al., Comparative Sequence Analysis of a Gene-Rich Cluster at Human Chromosome 12p13 and its Syntenic Region in Mouse Chromosome 6,"

Genome Res. 8(1):29-40 (1998)

Brenner et al., "In vitro cloning of complex mixtures of DNA on microbeads: Physical separation of differentially expressed cDNAs", Proceedings of the National Academy of Sciences of the USA, Vol. 97, No. 4, (2000), pp. 1665-1670.

Burge et al., "Prediction of Complete Gene Structures in Human Genomic DNA,: J. Mol. Biol. 268:78-94 (1997)

Burset et al., "Evaluation of Gene Structure Prediction Programs," Genomics 34:353-367 (1996)

C. elegans Sequencing Consortium, "Genome Sequence of the Nematode C. elegans: A Platform for Investigating Biology," Science 282:2012-18 (1998)

Chai et al., "Structure and Organization of the RBMY Genes on the Human Y Chromosome: Transposition and Amplification of an Ancestral Autosomal hnRNPG Gene," Genomics 49(2):283-89 (1998)

÷ ,

Cherny et al., "DNA unwinding upon strand-displacement binding of a thymine-substituted polyamide to double-stranded DNA", Proceedings of the National Academy of Sciences of the USA, Vol. 90, No. 5, 1667-1670 (1993)

Demidov et al., "Sequence selective double strand DNA cleavage by Peptide Nucleic Acid (PNA) targeting using nuclease S1", Nucleic Acids Research, Vol. 21, No. 9, (1993), pp. 2103-2107.

DeRisi, Joseph L. et al., "Exploring the Metabolic and Genetic Control of Gene Expression on a Genomic Scale," Science, Vol. 278, October 24, 1997, pp. 680-686.

Dueholm et al., "An Efficient Synthesis of BOC-Aminoacetaldehyde and Its Application to the Synthesis of N-(2-BOC-Aminoethyl) Glycine Esters", Organic Preparations and Procedures International, Vol. 25, No. 4, 457-461 (1993)

Dunham et al., "The DNA sequence of human chromosome 22", Nature, Vol. 402, No. 6761, (1999), pp. 489-95.

Egholm et al., "Peptide Nucleic Acids (PNA). Oligonucleotide Analogues with an Achiral Peptide Backbone", J. Am. Chem. Soc., Vol. 114, No. 5, (1992), pp. 1895-1897.

Egholm et al., "Peptide Nucleic Acids containing Adenine or Guanine recognize Thymine and Cytosine in Complementary DNA Sequences", Journal of the Chemical Society, Chemical Communications, No. 9, (1993), pp. 800-801.

Egholm et al., "PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules", Nature, Vol. 365, No. 6446, (1993), pp. 566-568.

Egholm et al., "Recognition of Guanine and Adenine in DNA by Cytosine and Thymine Containing Peptide Nucleic Acids (PNA)^{1,2}", Journal of the American Chemical Society, Vol. 114, No. 24, (1992), pp. 9677-9678.

Fuentes et al., "A new human gene from the Down syndrome critical region encodes a proline-rich protein highly expressed in fetal brain and heart", Human Molecular Genetics, Vol. 4, No. 10, (1995), pp. 1935-44.

Gautheret et al., "Alternative Polyadenylation in Human mRNAs: A Large-Scale Analysis by EST Clustering", Genome Research, Vol. 8, (1998), pp. 524-530.

Gilbert et al.,"The Nucleotide Sequence of the lac Operator," Proc. Natl. Acad. Sci. USA 70(12):3581-4 (1973)

Gish et al., "Identification of protein coding regions by database similarity search", Nature Genetics, Vol. 3, No. 3, (1993), pp. 266-272.

Goffeau et al., "Life with 6000 Genes," Science 274:563-67 (1996)

Hattori, et al. "The DNA sequence of human chromosome 21," Nature 405:311-319 (2000)

Hedrick et al., "Isolation of cDNA clones encoding T cell-specific membrane-associated proteins,"
Nature 308(5955):149-53 (1984)

Hedrick et al., "Sequence relationships between putative T-cell receptor polypeptides and immunoglobulins," Nature 308(5955):153-8 (1984)

Heizmann, Claus W., Ca^{2+} -Binding S100 Proteins in the Central Nervous System", Neurochemical Research, Vol.24, No. 9, (1999), pp. 1097-1100.

http://cmgm.stanford.edu/pbrown/mguide/index.html

Hyrup et al., "Modification of the Binding Affinity of Peptide Nucleic Acids (PNA). PNA with Extended Backbones consisting of 2-Aminoethyl- β -alanine or 3-Aminopropylglycine Units", Journal of the Chemical Society, Chemical Communications, (1993), pp. 518-519.

Joshi et al., "A novel ferritin heavy chain messenger ribonucleic acid in the human brain", Journal of the Neurological Sciences, Vol. 134(Suppl), (1995), pp. 52-56.

Kim et al., "Right Handed Triplex Formed between Peptide Nucleic Acid PNA-T₈ and Poly(dA) Shown by Linear and Circular Dichroism Spectroscopy", Journal of the American Chemical Society, Vol. 115, No. 15, (1993), pp. 6477-6481.

Lander, Eric S., "Array of Hope", Nature Genet. 21(1) (suppl) :1 - 60 (1999)

Lashkari et al., "Yeast microarrays for genome wide parallel genetic and gene expression analysis", Proceedings of the National Academy of Sciences USA, Vol. 94, No. 24, (1997), pp. 13057-13062.

Lennon et al., "The I.M.A.G.E. Consortium: An Integrated Molecular Analysis of Genomes and Their Expression", Genomics, Vol. 33, No. 1, (1996), pp. 151-2.

Lin et al., "Sequence and analysis of chromosome 2 of the plant Arabidopsis thaliana," Nature 402:761 (1999)

Lopez et al., "Genomic-scale quantitative analysis of yeast pre-mRNA splicing: Implications for splice-site recognition," RNA 5:1135-1137 (1999)

Lopez et al., "YIDB: the Yeast Intron DataBase", Nucleic Acids Research, Vol. 28, No. 1, (2000), pp. 85-86.

Marra et al., "An encyclopedia of mouse genes," Nature Genet. 21:191-194 (1999)

Millward et al., "Regulation of protein kinase cascades by protein phosphatase 2A", Trends In Biochem. Sci., Vol. 24, (1999), pp. 186-191.

Nielsen et al., "Peptide nucleic acids (PNAs):Potential anti-sense and anti-gene agents", Anti-Cancer Drug Design, Vol. 8, No. 1, (1993), pp. 53-63.

Nielsen et al., "Sequence-Selective Recognition of DNA by Strand Displacement with a Thymine-Substituted Polyamide", Science, Vol. 254, No. 5037, (1991), pp. 1497-1500.

Nielsen et al., "Sequence specific inhibition of DNA restriction enzyme cleavage by PNA", Nucleic Acids Research, Vol. 21, No. 2, (1993), pp. 197-200.

Penn, et al., "Mining the human genome using microarrays of open reading frames", Nature Genet., Vol. 26, No. 11 (2000) pp. 315-318.

Pennisi, "Academic Sequencers Challenge Celera in a Sprint to the Finish," Science, 283:1822-1823 (1999)

Reeves, "Recounting a genetic story," Nature, 405:283-284 (2000)

Sanger, et al., "Use of DNA Polymerase I Primed by a Synthetic Oligonucleotide to Determine a Nucleotide Sequence in Phage fl DNA," Proc. Natl. Acad. Sci. USA, 70(4):1209-13 (1973)

Shoemaker et al., "Experimental annotation of the human genome using microarray technology," Nature, 409:922-927 (2001)

Solovyev et al., "Predicting internal exons by oligonucleotide composition and discriminant analysis of spliceable open reading," Nucl. Acids Res., 22:5156-63 (1994)

Solovyev et al., "The Gene-Finder computer tools for analysis of human and model organisms genome sequences," Ismb 5:294-302 (1997)

Spingola et al., "Genome-wide bioinformatic and molecular analysis of introns in Saccharomyces cerevisiae", RNA, Vol. 5, No. 2, (1999), pp. 221-34.

Strausberg et al., "New opportunities for uncovering the molecular basis of cancer," Nature Genet., 15:415 (1997)

Thomas et al., Toxicologist 54:68-69 (2000)

Uberbacher et al., "Discovering and Understanding Genes in Human DNA Sequence Using GRAIL," Methods Enzymol., 266:259-81 (1996)

Uberbacher et al., "Locating protein-coding regions in human DNA sequences by a multiple sensor-neural network approach," Proc. Natl. Acad. of Sci. USA, 88(24):11261-5 (1991)

Williamson, "The Merck Gene Index project," Drug Discov. Today, 4:115-122 (1999)

Xu et al., "Recognizing Exons in Genomic Sequence Using Grail II," Genet. Eng., 16:241-53 (1994)


Copies of the aforementioned documents, which are listed on the accompanying Form PTO-1449 (submitted in duplicate), are enclosed herewith.

It is respectfully requested that these documents be (1) fully considered by the Patent and Trademark Office during the examination of this application; and (2) printed on any patent that may issue on this application.

Applicants request that a copy of Form PTO-1449 (submitted in duplicate herewith), as considered and initialed by the Examiner, be returned with the next communication.

An early and favorable action is respectfully

requested.



FISH & NEAVE Customer No. 1473 1251 Avenue of the Americas New York, N. Y. 10020 (650) 617-4000 (CA)

Increby Certify that this
Correspondence is being
Deposited with the U.S.
Postal Service as First
Class Mail in an Envelope
Addressed to: ASSISTANT
COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 2021, ON

LILY X. JIANG

06-2

Signature of Person Signing

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ONFORMATION DISCLOSURE TATEMENT BY APPLICANT

ATTY. DOCKET NO. MDhMORF-1	SERIAL NO. 70 09/7742203
APPLICANT Penn et al.	CENTER CENTER
FILING DATE January 29, 2001	GROUP6001 1645

TRADE	AAT					000	
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING I	PRIATE
	5,861,250	01/1999	Stanley et al.			CH C	_ H
	5,854,033	10/1998	Lizardi			CENTER	
	5,714,320	02/1998	Kool			ER 1	*
	5,235,033	08/1993	Summerton et al.	1		1500/2900	m c
	5,217,866	02/1993	Summerton et al.			2900	U
	5,184,444	02/1993	Warden				
	5,166,315	11/1992	Summerton et al.				
	5,142,047	08/1992	Summerton et al.				
		FOREI	GN PATENT DOCUI	MENTS		TRANSL	ATION
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
	WO 00/15779	03/2000	WIPO				
	WO 98/12559	03/1998	WIPO				
	WO 98/58720	12/1998	WIPO				
	WO 97/19193	05/1997	WIPO				
	WO 93/25706	12/1993	WIPO				
	WO 92/20703	11/1992	WIPO				
	WO 92/20702	11/1992	WIPO				
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
Adams <i>et al.</i> , "Complementary DNA Sequencing: Expressed Sequence Tags and Human Genome Project," <i>Science</i> 252:1651-1656 (1991)							
Ansari-Lari et al., Comparative Sequence Analysis of a Gene-Rich Cluster at Human Chromosome 12p13 and its Syntenic Region in Mouse Chromosome 6," Genome Res. 8(1):29-40 (1998)							

EXAMINER	DATE CONSIDERED

٠,			Sheet 2	of 5
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. MDhMORF-1	SERIAL NO. 3	
/ · IJ I · ·	FORMATION DISCLOSURE ATEMENT BY APPLICANT	APPLICANT P nn et al.		3 200
NIM 2 9 2001 35		FILING DATE January 29, 2001	GROUP 2900 1645	

B	8/
FRADEMAN	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	Brenner et al., "In vitro cloning of complex mixtures of DNA on microbeads: Physical separation of differentially expressed cDNAs", Proceedings of the National Academy of Sciences of the USA, Vol. 97, No. 4, (2000), pp. 1665-1670.
	Burge <i>et al.,</i> "Prediction of Complete Gene Structures in Human Genomic DNA,: Hol. Fiol. 268:78-94 (1997)
	Burset et al., " Evaluation of Gene Structure Prediction Programs," Genomics 34:353-367 (1996)
	C. elegans Sequencing Consortium, "Genome Sequence of the Nematode C. elegans: A Platform for Investigating Biology," Science 282:2012-18 (1998)
	Chai et al., "Structure and Organization of the RBMY Genes on the Human Y Chromosome: Transposition and Amplification of an Ancestral Autosomal hnRNPG Gene," Genomics 49(2):283-89 (1998)
	Cherny et al., "DNA unwinding upon strand-displacement binding of a thymine-substituted polyamide to double-stranded DNA", Proceedings of the National Academy of Sciences of the USA, Vol. 90, No. 5, 1667-1670 (1993)
	Demidov <i>et al.</i> , "Sequence selective double strand DNA cleavage by Peptide Nucleic Acid (PNA) targeting using nuclease S1", Nucleic Acids Research, Vol. 21, No. 9, (1993), pp. 2103-2107.
	DeRisi, Joseph L. et al., "Exploring the Metabolic and Genetic Control of Gene Expression on a Genomic Scale," Science, Vol. 278, October 24, 1997, pp. 680-686.
	Dueholm et al., "An Efficient Synthesis of BOC-Aminoacetaldehyde and Its Application to the Synthesis of N-(2-BOC-Aminoethyl) Glycine Esters", Organic Preparations and Procedures International, Vol. 25, No. 4, 457-461 (1993)
	Dunham et al., "The DNA sequence of human chromosome 22", <i>Nature</i> , Vol. 402, No. 6761, (1999), pp. 489-95.
	Egholm <i>et al.</i> , "Peptide Nucleic Acids (PNA). Oligonucleotide Analogues with an Achiral Peptide Backbone", <i>J. Am. Chem. Soc.</i> , Vol. 114, No. 5, (1992), pp. 1895-1897.
	Egholm <i>et al.</i> , "Peptide Nucleic Acids containing Adenine or Guanine recognize Thymine and Cytosine in Complementary DNA Sequences", Journal of the Chemical Society, Chemical Communications, No. 9, (1993), pp. 800-801.
	Egholm et al., "PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules", <i>Nature</i> , Vol. 365, No. 6446, (1993), pp. 566-568.

EXAMINER	DATE CONSIDERED

FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE
_	PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE

	Sh	eet 3	of 5	
ATTY. DOCKET NO. MDhMORF-1	SERIAL N 09/774,20	OEN HCEN	JUL	E C
APPLICANT P nn <i>t al</i> .		TER 160	0 3 20	
FILING DATE January 29, 2001	GROUP 1645	600/2900	01	

TRAD	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
	Egholm <i>et al.</i> , "Recognition of Guanine and Adenine in DNA by Cytosine and Thymine Containing Peptide Nucleic Acids (PNA) ^{1,2} ", Journal of the American Chemical Society, Vol. 114, No. 24, (1992), pp. 9677-9678.
	Fuentes et al., "A new human gene from the Down syndrome critical region encodes a proline rich protein highly expressed in fetal brain and heart", Human Molecular Genetica Vol. 4, No. 10, (1995), pp. 1935-44.
	Gautheret et al., "Alternative Polyadenylation in Human mRNAs: A Large-Scale Applysis by EST Clustering", Genome Research, Vol. 8,(1998), pp. 524-530.
	Gilbert et al.,"The Nucleotide Sequence of the lac Operator," Proc. Nat. Acad. Sci. USA 70(12) :3581-4 (1973)
	Gish <i>et al., "</i> Identification of protein coding regions by database similarity search", <i>Nature Genetics</i> , Vol. 3, No. 3, (1993), pp. 266-272.
	Goffeau et al., "Life with 6000 Genes," Science 274:563-67 (1996)
	Hattori, et al. "The DNA sequence of human chromosome 21," Nature 405:311-319 (2000)
	Hedrick <i>et al.</i> , "Isolation of cDNA clones encoding T cell-specific membrane-associated proteins," <i>Nature</i> 308(5955) :149-53 (1984)
	Hedrick <i>et al.</i> , "Sequence relationships between putative T-cell receptor polypeptides and immunoglobulins," <i>Nature</i> 308(5955) :153-8 (1984)
	Heizmann, Claus W., Ca ²⁺ -Binding S100 Proteins in the Central Nervous System", Neurochemical Research, Vol.24, No. 9, (1999), pp. 1097-1100.
	http://cmgm.stanford.edu/pbrown/mguide/index.html
	Hyrup <i>et al.</i> , "Modification of the Binding Affinity of Peptide Nucleic Acids (PNA). PNA with Extended Backbones consisting of 2-Aminoethyl-β-alanine or 3-Aminopropylglycine Units", <i>Journal of the Chemical Society, Chemical Communications</i> , (1993), pp. 518-519.
	Joshi et al., "A novel ferritin heavy chain messenger ribonucleic acid in the human brain", Journal of the Neurological Sciences, Vol. 134(Suppl), (1995), pp. 52-56.
	Kim <i>et al.</i> , "Right-Handed Triplex Formed between Peptide Nucleic Acid PNA-T ₈ and Poly(dA) Shown by Linear and Circular Dichroism Spectroscopy", Journal of the American Chemical Society, Vol. 115, No. 15, (1993), pp. 6477-6481.
	Lander, Eric S., "Array of Hope", Nature Genet. 21(1) (suppl) :1 - 60 (1999)

EXAMINER	DATE CONSIDERED

ATEMENT BY APPLICANT

ATTY. DOCKET NO. SERIAL NOT 09/774,203 APPLICANT P nn tal.

FILING DATE January 29, 2001 1645

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
Lashkari <i>et al.</i> , "Yeast microarrays for genome wide parallel genetic and gene expression analysis", <i>Proceedings of the National Academy of Sciences USA</i> , Vol. 94, No. 24, (1997), pp. 13057-13062.
Lennon et al., "The I.M.A.G.E. Consortium: An Integrated Molecular Analysis of Genomes and Their Expression", Genomics, Vol. 33, No. 1, (1996), pp. 151-2.
Lin et al., "Sequence and analysis of chromosome 2 of the plant Arabidopsis thalian Nature 1 402:761 (1999)
Lopez <i>et al.</i> , "Genomic-scale quantitative analysis of yeast pre-mRNA splicing: Implications for splice-site recognition," <i>RNA</i> 5:1135-1137 (1999)
Lopez et al., "YIDB: the Yeast Intron DataBase", Nucleic Acids Research, Vol. 28, No. 1, (2000), pp. 85-86.
Marra et al., "An encyclopedia of mouse genes," Nature Genet. 21:191-194 (1999)
Millward <i>et al.</i> , "Regulation of protein kinase cascades by protein phosphatase 2A", <i>Trends In Biochem. Sci.</i> , Vol. 24, (1999), pp. 186-191.
Nielsen et al., "Peptide nucleic acids (PNAs): Potential anti-sense and anti-gene agents", Anti-Cancer Drug Design, Vol. 8, No. 1, (1993), pp. 53-63.
Nielsen <i>et al.</i> , "Sequence-Selective Recognition of DNA by Strand Displacement with a Thymine-Substituted Polyamide", <i>Science</i> , Vol. 254, No. 5037, (1991), pp. 1497-1500.
Nielsen <i>et al.</i> , "Sequence specific inhibition of DNA restriction enzyme cleavage by PNA", <i>Nucleic Acids Research</i> , Vol. 21, No. 2, (1993), pp. 197-200.
Penn, et al., "Mining the human genome using microarrays of open reading frames", Nature Genet., Vol. 26, No. 11 (2000) pp. 315-318.
Pennisi, "Academic Sequencers Challenge Celera in a Sprint to the Finish," Science, 283:1822-1823 (1999)
Reeves, "Recounting a genetic story," Nature, 405:283-284 (2000)
Sanger, et al., "Use of DNA Polymerase I Primed by a Synthetic Oligonucleotide to Determine a Nucleotide Sequence in Phage f1 DNA," <i>Proc. Natl. Acad. Sci. USA</i> , 70(4):1209-13 (1973)
Shoemaker et al., "Experimental annotation of the human genome using microarray technology," Nature, 409:922-927 (2001)
Solovyev et al., "Predicting internal exons by oligonucleotide composition and discriminant analysis of spliceable open reading frames," Nucl. Acids Res., 22:5156-63 (1994)

EXAMINER

DATE CONSIDERED

<u> </u>			Shee	共 5 of 5	-
FORM PTO-1449 U.S. DEPARTMENT OF COMMI PATENT AND TRADEMARK OF		ATTY. DOCKET NO. MDhMORF-1	SERIAL NO. 09/774,203	CH CFI	
l / 👻 ('\	FORMATION DISCLOSURE ATEMENT BY APPLICANT	APPLICANT P nn et al.		0 3 2 JTER 16	
JUN 2 9 2001 S		FILING DATE January 29, 2001	GROUP 1645	001 00/290	
TATE TO LOCK ART					_

 OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
Solovyev et al., "The Gene-Finder computer tools for analysis of human and model granisms genome sequences," Ismb 5:294-302 (1997)
Spingola et al., "Genome-wide bioinformatic and molecular analysis of introns in Saccharomyces cerevisiae", RNA, Vol. 5, No. 2, (1999), pp. 221-34.
 Strausberg et al., "New opportunities for uncovering the molecular basis of cancer," Bature Genet.,15:415-416 (1997)
 Thomas et al., Toxicologist 54:68-69 (2000)
Uberbacher et al., "Discovering and Understanding Genes in Human DNA Sequence Using GRAIL," Methods Enzymol., 266:259-81 (1996)
 Uberbacher et al., "Locating protein-coding regions in human DNA sequences by a multiple sensor-neural network approach," Proc. Natl. Acad. of Sci. USA, 88(24):11261-5 (1991)
Williamson, "The Merck Gene Index project," Drug Discov. Today, 4:115-122 (1999)
 Xu et al., "Recognizing Exons in Genomic Sequence Using Grail II," Genet. Eng., 16:241-53 (1994)